

STYLUS™CX5700F











The Powerful and Affordable Home and Small Office Multi-functional Solution

- · Complete built-in fax functionality
- Standalone colour and black-and-white photocopy functionality
- Epson DURABrite[™] Ultra ink for improved print quality and durability
- Powerful and easy-to-use bundled software
- Individual Intellidge[™] ink cartridges for even greater economy
- 5760 x 1440 Optimised dpi with Resolution Performance Management Technology
- Vibrant photos on plain or Genuine Epson specialty papers that last up to 120 years*
- True BorderFree™ edge-to-edge photo printing and copying on A4, 4" x 6" & 5"x 7"





Great Bundled Software

For optimum quality and ease-of-printing, the Epson STYLUS™ CX5700F is bundled with powerful software tools that help you fully exploit the amazing potential of this innovative multi-function printer. Along with Epson PRINT image Framer (PIF) and PIF Designer, the feature-rich software bundle also includes the Epson Creativity Suite, which consists of Epson's Web-to-page, File Manager, Scan Assist, Image Clip Palette, Copy Utility and Easy Photo Print applications.

...and It's Fast!

With copy speeds of 18 pages per minute (ppm) for black-and-white and 17ppm for colour, along with print mode speeds up to 20 ppm for black-and-white and 19ppm for colour, the Epson STYLUS CX5700F is going to ensure you have your prints and copies in seconds. Added to this an outstanding 51 seconds for True BorderFree[™] 4x6-inch photo prints, and it's easy to see why the Epson STYLUS CX5700F is the ideal solution for home and small office printing, faxing and scanning.

Plug-and-Print. Simple!

For digital camera users, the Epson STYLUS CX5700F delivers incredibly straightforward plug-and-print functionality, with:

- xD card slot for xD- Picture Card and xD- Picture Card Type M
- Smart Media[™] slot
- CF type slot for CompactFlash® (memory card only) and MicroDrive
- Memory Stick slot for Memory Stick, MagicGate Memory Stick, MagicGate Memory Stick Duo, Memory Stick PRO, Memory Stick Duo (with adaptor) and Memory Stick PRO Duo (with adaptor)
- SD/MMC slot for SD Card, miniSD (with adaptor) and Multi Media Card

Scanner

Clear Scanning Advantages

One of the clear advantages of the Epson STYLUS CX5700F multi-function printer is its sophisticated scanner operation featuring Auto Skew Correction and Colour Restoration. With the Colour Restoration feature, intelligent software automatically restores image colour that has been subjected to fading and other colour loss influences, such as light and airborne contaminants. Then, with the Auto Skew Correction feature, even images placed at an angle on the scanner bed are automatically adjusted to produce straight prints.



Printer

DURABrite™ Ultra Ink



Prints that withstand the test of time! With advanced Epson DURABrite Ultra ink, the Epson STYLUS™ CX5700F generates prints that have a lightfastness rating of up to 120 years* and have outstanding resistance against airborne contaminants, handling and even moisture. It's when it comes to print quality, though, that the on STYLUS CX5700F's DURABrite Ultra ink



Individual Intellidge™ Ink Cartridges

Featuring individual Epson Intellidge ink cartridges, the Epson STYLUS CX5700F maintains the Epson lead in advantage that makes it the best system for using full cartridges for continuous large print jobs and partly used cartridges for smaller jobs - maximum ink usage,



Brilliant Epson Print Quality

Epson multi-function printers are world renowned for their industry leading print quality and the 5760 x 1440 Optimised dpi using Resolution Performance Management and advanced Micro Piezo

EPSON STYLUS™ CX5700F

The Epson STYLUS CX5700F multi-functional printer - a feature-packed, powerful and affordable all-in-one printing, copying and faxing solution. It's the perfect multi-function solution for the home and small office.

Flexible Faxing

The Epson STYLUS CX5700F has been designed for absolute flexibility, even when it comes to faxing. With an in-built 33.6Kbps modem, full support of the international colour standard for colour-to-colour communication (allowing you to send or receive in colour when communicating with another colour capable fax), a 60 number speed dial feature, auto redial and auto/manual changeable answering mode. this feature-packed multi-function printer meets virtually all your faxing needs.

Fingertip Control

Whether faxing documents, photocopying documents or making brilliant BorderFree copies of colour photographs, the Epson STYLUS CX5700F's easy-to-use control panel puts everything you need right at your fingertips without needing to be connected to your PC.

Fax



Easy control

Copier

A Total Photocopy Solution

From 4x6-inch right up to full A4, the Epson STYLUS CX5700F provides optimum and true to original photo and document copies. Ensuring absolute ease-of-use, the single press "Fit to page" button instructs this powerful multi-function printer to detect the image size of the original photograph or document and then automatically sets the zoom factor to correspond with the copy paper's printable area.



Photocopier function



MULTI **FUNCTIONAL PRINTER**

EPSON STYLUST CX5700F Specifications



6.8Kg

EPSON AUSTRALIA CUSTOMER SERVICE LINE

Tel: 1300 361 054

VISIT OUR WEBSITE:

www.epson.com.au

HEAD OFFICE SYDNEY

3 Talavera Road North Ryde, NSW 2113 Tel: (02) 8899 3666

MELBOURNE

Tel: (03) 8823 9200

BRISBANE

Tel: (07) 3360 0219

PERTH

Tel: (08) 9480 0418

ADELAIDE

Tel: (08) 8237 0518

EPSON NEW ZEALAND CUSTOMER SERVICE LINE

Tel: 0800 23 77 66

VISIT OUR WEBSITE:

www.epson.co.nz

AUCKLAND

245 Hobson Street **Auckland NZ** Tel: (09) 366 6855

WELLINGTON

Tel: (04) 473 3494

ABN 91 002 625 783















Printer

PRINTER TYPE

PRINT SPEED

FPSON STYLUS CX5700F PRINTING METHOD NOZZLE CONFIGURATION

BLACK TEXT (MEMO) A4

COLOUR TEXT (MEMO) A4

C11C633041

On-demand Inkjet (piezoelectric) 4 x 90 nozzles (Black, Cvan, Magenta, Yellow)

Approx. 20 PPM (Economy Mode) Approx. 19 PPM (Economy Mode) 51[‡] sec per photo (Draft)

PHOTO 4" x 6" (10 x 15cm) Print Speed Data Printout Patterns The thumbnail images below show the printout patterns used to determine print speed specifications.







#2 Colour Text (MEMO) A4

"Second" rating refers to the time taken to print one page. "ppm" rating refers to the number of pages printed in one minute. The computer environment we test under is as follows: CPU: 1GHZ Pentium III, RAM: 128MB; OS: Windows® ME; Interface/Connectivity: USB

[‡] When printed on Epson Premium Glossy Photo Paper

RESOLUTION

5760 Ontimised doi using Resolution Performance Management (RPM) technology

PAPER HANDLING

PAPER FEED METHOD PAPER SIZES

Friction feed with paper feeder A4, Letter, A5, B5, A6, 5" x 7", 4" x 6", Envelopes: #10, DL, C6, 220 x 132mm

Scanner

SCANNER TYPE PHOTOELECTRIC DEVICE DOCUMENT SIZE PIXEL DEPTH

Flatbed colour image scanner 3 line Colour CIS 216mm x 297mm

48-bit internal, 24-bit external

SCANNING RESOLUTION

Main 1200 x SubScan 2400dpi with Micro Step Drive

SCANNING SPEED

MONO Up to 3.5msec / line at 300dpi COLOUR Up to 10msec / line at 300dpi

Copy Function

COPY SPEED

Approx. 18cpm (Draft Mode) Approx. 17cpm (Draft Mode)

STANDALONE COPIER FUNCTIONALITY

COPY MODE Standard, BorderFree#, small margins on 4" x 6",

Fax Function

SUPPORTED COMMUNICATION

LINES PSTN (general phone lines) TRANSMISSION SPEED Automatic detect, 2,400bps to 33.6kbs PROTOCOL

TRANSMISSION RECEPTION

24-bit colour / 1-bit mono JPEG, MH, MR, MMR MODES IMAGE COMPRESSION 60 speed dials, 20 group dials Up to 100 pages (ITU-T, No. 1 chart, A4, default) EAST DIALING Last Transmission Report, Multiple Transmission Report, Activity Report, Speed Dial List REPORT FUNCTIONS DIALING FUNCTIONS Auto-redial 0-2 times, Fax / Phone auto switching

General

OPERATING SYSTEMS

PRINTER DRIVERS Mac® OS X 10.2.4 or later, Microsoft® Windows® 98 / 2000 / Me / XP / XP 64-bit8

§ Download drivers from www.epson.com.au

MEMORY CARDS SUPPORTED

Compact Flash, Smart Media[†], Memory Stick[†], MagicGate Memory Stick[†], Memory Stick Duo^{††}, Memory Stick PRO Duo^{††}, Megory Stick PRO Duo^{††}, MagicGate Memory Stick Duo^{††}, MicroDrive, SD (Secure Digital) Card, MiniSD Card^{††}, Multi Media Card, xD-Picture Card

Maximum Capacity is 128MB Card

with Audplut

True BorderFree* printing is available for the following media sizes: 4" x 6", 5" x 7" and A4.

Media types recommended: Premium Glossy Photo paper A4, 4" x 6" and 5" x 7", Matte Paper Heavyweight. BorderFree prints are media dependent. See www.epson.com.au for detailed specifications.

INTERFACES

PC: High Speed USB 2.0

Host: USB 2.0 full speed (PictBridge, USB Direct

Print Only)

PRINTER SOFTWARE (AVAILABLE ON CD-ROM ONLY)

SOFTWARE TOOLS Epson Scan Assist, Epson Attach to Email, Epson Image

Clip Pallete, Epson Copy Utility, Epson Easy Photo Print, Epson Web-to-Page, Epson File Manager, Epson Photo Impression, Epson Print Image Framer, P.I.F Designer

120 years on Epson Matte Paper - Heavyweight

ELECTRICAL SPECIFICATIONS

RATED VOLTAGE AC 220 ~ 240V RATED FREQUENCY 50 ~ 60Hz

POWER CONSUMPTION Approx. 13W (ISO10561 Letter Pattern)

LIGHTFASTNESS

LIGHTFASTNESS³ LIGHTFASTNESS TEST CRITERIA (INDOOR DISPLAY CONDITIONS)

Fluorescent light

. Light source Intensity 70k lux 24°C 60% RH Temperature Humidity 2mm, soda lime Pure YMC 30% loss at OD=1 Glass mount Fade criteria

Display life calculation Total illuminance / (500 lux x 10 hours x 365 days = 1 year)

Tests developed and conducted by Epson under fluorescent light (indoor display condition) with glass mount. The data is calculated by Epson's accelerated test of prints on speciality media. See www.epson.com.au for more information.

Data is calculated using accelerated simulation of fading under indoor preservation conditions bata is calculated stand accelerated simulation or including fluorescent light indoor display. Temperature, humidity and some atmospheric gases may nalso affect the rate of fading. The estimated lightfastness period does not indicate the colour changing or the durability of the paper itself. Epson recommends that your prints be stored in a photo album (or plastic photo storage box) in acid free, archival sleeves commonly available from most camera shops.

INK CARTRIDGES

BLACK INK (T0631)** BLACK (T0621) optional COLOUR INK**

Cyan (T0632), Magenta (T0633), Yellow (T0634)

The Epson Intellidge™ Ink System is designed to work perfectly in harmony with the printer and your choice of media to ensure you get:

· the very best of print quality every print, every time

and trouble-free, peace-of-mind printing every print, every time

The Epson Intellidge Ink System brings maximum benefits, maximum ink usage and the interchange of Epson cartridges suitable for this model.

The Epson Intellidge Ink System gives you easy-to-see, always available information about all your ink levels.

This printer is designed to be used only with Genuine Epson Intellidge Ink cartridges

Intellidge Ink cartridges are not designed for refill.





To ensure your cartridges are Genuine, look for the anti-counterfeit Color Shifting Label.

^ High capacity cartridge.
** The printer ships with full cartridges. Refer to www.epson.com.au for print capacity details

GENUINE EPSON PAPER

EPSON BRIGHT WHITE INKJET PAPER (A4) S041442 EPSON PHOTO QUALITY INKJET PAPER (A4) S041061 EPSON PHOTO PAPER / GLOSSY PHOTO PAPER (A4) S041140 FPSON PREMILIM GLOSSY PHOTO PAPER (5" x 7 S041464 EPSON PREMIUM GLOSSY PHOTO PAPER (4" x 6") S041706 / S041729 FPSON PREMIUM GLOSSY PHOTO PAPER (A4) S041285 EPSON PREMIUM SEMIGLOSS PHOTO PAPER (A4) S041332 FPSON MATTE PAPER - HEAVYWEIGHT (A4) S041258 EPSON DOUBLE SIDED MATTE PAPER (A4) S041569

12 MONTHS RETURN TO BASE STANDARD OPTIONAL ADDITIONAL 2 YEAR WARRANTY For warranty terms see www.epson.com.au/warranty

3YWCX5700F

As an International ENERGY STAR Partner, Epson has determined that this product meets the As an international EVERGY STAR pulled lines for energy efficiency. Esson is the registered trademark of SEIKO Epson Corporation. Epson STYLUS, PerfectPicture, MicroPiezo, AcuPhoto Halftoning, QuickDry are the trademarks of SEIKO Epson Corporation. All other names and company names used herein are for identification purpose only and may be the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. All print samples shown herein are seminatives. Constitutions are quality of the seminatives. simulations. Specifications are subject to change without notice